


LEGEND

- PROPERTY LINE ————
- LIMIT OF EXISTING VEGETATION ————
- PROPOSED LIMIT OF VEGETATION ————
- OPEN SPACE ————
- 6' HIGH SOLID FENCE ————
- EXISTING BEECH TREES TO BE PRESERVED

NOTES:

GENERAL:

1. THE EXISTING SITE INFORMATION WAS TAKEN FROM A PLAN PREPARED BY DIPRETE ENGINEERING, TITLED 1864-009-FRLM-ACAD-CLAR-20190321, DATED MARCH 21, 2019 AND SITE OBSERVATIONS BY JOHN C. CARTER & COMPANY, INC.
2. ANY PROPERTY LINES DEPICTED ON THIS PLAN ARE PICTORIAL ONLY. THIS PLAN IS TO BE USED FOR THE SELECTION, LOCATION AND INSTALLATION OF PLANT MATERIALS ONLY AND IS NOT TO BE USED FOR ANY OTHER PURPOSE. ALL FOUNDATIONS, RETAINING WALLS AND DRAINAGE COMPONENTS SHALL BE STAKED OUT BY THE ENGINEER OR SURVEYOR.
3. WRITTEN DIMENSIONS AND SPECIFICATIONS SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS.
4. THE LOCATION OF THE UTILITIES IF SHOWN ON THIS PLAN ARE APPROXIMATE ONLY. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO FIELD VERIFY THE LOCATION OF ALL UTILITIES BEFORE ANY EXCAVATION. DIG-SAFE SHALL BE CONTACTED AT LEAST 72 HOURS BEFORE EXCAVATION. DIG-SAFE CAN BE REACHED AT 1-888-344-7233.



JOHN C. CARTER & CO., INC.
 960 BOSTON NECK RD. NARRAGANSETT, RI
 (401) 783-3500
 LANDSCAPE ARCHITECTURE
 DESIGN & BUILD

LANDSCAPE PLAN
HILLSIDE COMMONS
 LOCATED AT:
A.P. 57-2, LOT 59
SOUTH KINGSTOWN, RHODE ISLAND


EXISTING COPPER BEECH TREE TO BE PRESERVED. SEE TREE PROTECTION NOTES AND DETAIL SHEET 3

THE EXISTING DENSE VEGETATION WITHIN THE REQUIRED 100-FOOT SETBACK WILL PROVIDE A SUITABLE AUDIO AND VISUAL SCREEN OF THE DEVELOPMENT FROM U.S. ROUTE 1

EXISTING COPPER BEECH TREE TO BE PRESERVED. SEE TREE PROTECTION NOTES AND DETAIL SHEET 3

MIXED DECIDUOUS AND PINE FOREST

PLANT SCHEDULE PLANTING				
TREES	QTY	BOTANICAL NAME	COMMON NAME	SIZE
AF	4	ACER RUBRUM 'FRANKSRED' TM	RED SUNSET MAPLE	1.5-2" CAL.
AA	7	ACER X FREEMANII 'ARMSTRONG'	ARMSTRONG FREEMAN MAPLE	1.5-2" CAL.
BC	6	BETULA NIGRA 'GULLY' TM	HERITAGE BIRCH	1.5-2" CAL.
LS	4	LIQUIDAMBAR STYRACIFLUA	AMERICAN SWEET GUM	1.5-2" CAL.
M62	3	METASEQUOIA GLYPTOSTROBODES	DAWN REDWOOD	10-12' HT
SHRUBS	QTY	BOTANICAL NAME	COMMON NAME	SIZE
CP2	43	CEPHALOTAXUS HARRINGTONIA PROSTRATA	PROSTRATE PLUM YEW	5 GAL
CE	14	CORNUS ALBA 'ELEGANTISSIMA'	SILVEREDGE DOGWOOD	24-36" HT
IN	18	ILEX VERTICILLATA 'WINTER RED'	WINTER RED HOLLY	24-36" HT



REVISIONS
 3-29-19 Landscape revised per new layout

SCALE: 1" = 30'
 DATE: August 28, 2017


ISSUED FOR PERMITTING
 NOT FOR CONSTRUCTION

SHEET NUMBER
1 OF 3

NOTES:

GENERAL:

1. THE EXISTING SITE INFORMATION WAS TAKEN FROM A PLAN PREPARED BY DIPRETE ENGINEERING, TITLED 1864-003-PRLM-ACAD-CLAR-20190321, DATED MARCH 21, 2019 AND SITE OBSERVATIONS BY JOHN C. CARTER & COMPANY, INC.
2. ANY PROPERTY LINES DEPICTED ON THIS PLAN ARE PICTORIAL ONLY. THIS PLAN IS TO BE USED FOR THE SELECTION, LOCATION AND INSTALLATION OF PLANT MATERIALS ONLY AND IS NOT TO BE USED FOR ANY OTHER PURPOSE. ALL FOUNDATIONS, RETAINING WALLS AND DRAINAGE COMPONENTS SHALL BE STAKED OUT BY THE ENGINEER OR SURVEYOR.
3. WRITTEN DIMENSIONS AND SPECIFICATIONS SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS.
4. THE LOCATION OF THE UTILITIES IF SHOWN ON THIS PLAN ARE APPROXIMATE ONLY. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO FIELD VERIFY THE LOCATION OF ALL UTILITIES BEFORE ANY EXCAVATION. DIG-SAFE SHALL BE CONTACTED AT LEAST 12 HOURS BEFORE EXCAVATION. DIG-SAFE CAN BE REACHED AT 1-800-344-1233.




JOHN C. CARTER & CO., INC.
960 BOSTON NECK RD. NARRAGANSETT, RI
(401) 783-3500

LANDSCAPE ARCHITECTURE
DESIGN & BUILD


ENTRANCE DETAIL & TYPICAL PLANTING PLAN

HILLSIDE COMMONS
LOCATED AT:
A.P. 57-2, LOT 59
SOUTH KINGSTOWN, RHODE ISLAND

PLANT SCHEDULE - TYPICAL UNIT				
SHRUBS	QTY	BOTANICAL NAME	COMMON NAME	SIZE
BN	6	BUXUS SEMPERVIRENS 'NEWPORT BLUE'	NEWPORT BLUE BOXWOOD	24-30" HT.
CR	3	CLETHRA ALNIFOLIA 'RUBY SPICE'	RUBY SPICE CLETHRA	24-36" HT.
HN2	3	HYDRANGEA MACROPHYLLA 'NANTUCKET BLUE'	NANTUCKET BLUE HYDRANGEA	24-36" HT.
ANNUALS/PERENNIALS	QTY	BOTANICAL NAME	COMMON NAME	SIZE
HH	4	HEMEROCALLIS X EVERBLOOMING MIX	HAPPY RETURNS & RUBY STELLA DAYLILY MIX	5 GAL.
SA	5	SEDUM X 'AUTUMN JOY'	AUTUMN JOY SEDUM	1 GAL.



ENTRANCE COLUMN & OPEN RAIL FENCE
SCALE: 1" = 20'



TYPICAL UNIT PLANTING
SCALE: 1" = 10'

REVISIONS

3-29-19 Landscape revised per new layout

SCALE: AS NOTED
DATE: August 28, 2017

ISSUED FOR PERMITTING
NOT FOR CONSTRUCTION

SHEET NUMBER

2 OF 3

NOTES:

GENERAL:

1. THE EXISTING SITE INFORMATION WAS TAKEN FROM A PLAN PREPARED BY DIPRETE ENGINEERING, TITLED 1864-003-PRLM-ACAD-OLAR-2019/0321, DATED MARCH 21, 2019 AND SITE OBSERVATIONS BY JOHN C. CARTER & COMPANY, INC.
2. ANY PROPERTY LINES DEPICTED ON THIS PLAN ARE PICTORIAL ONLY. THIS PLAN IS TO BE USED FOR THE SELECTION, LOCATION AND INSTALLATION OF PLANT MATERIALS ONLY AND IS NOT TO BE USED FOR ANY OTHER PURPOSE. ALL FOUNDATIONS, RETAINING WALLS AND DRAINAGE COMPONENTS SHALL BE STAKED OUT BY THE ENGINEER OR SURVEYOR.
3. WRITTEN DIMENSIONS AND SPECIFICATIONS SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS.
4. THE LOCATION OF THE UTILITIES IF SHOWN ON THIS PLAN ARE APPROXIMATE ONLY. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO FIELD VERIFY THE LOCATION OF ALL UTILITIES BEFORE ANY EXCAVATION. DIG-SAFE SHALL BE CONTACTED AT LEAST 12 HOURS BEFORE EXCAVATION. DIG-SAFE CAN BE REACHED AT 1-888-344-1293.

PLANTING:

1. PROVIDE QUALITY PLANTS IN THE GENUS, SPECIES AND VARIETY INDICATED IN THE PLANT SCHEDULE, COMPLYING WITH APPLICABLE REQUIREMENTS OF "ANSI Z601. AMERICAN STANDARD FOR NURSERY STOCK."
2. PROVIDE PLANTS IN THE SIZE AND NUMBER INDICATED IN THE PLANT SCHEDULE. PLANTS SHALL BE GROWN IN NURSERIES LOCATED IN THE NORTHEASTERN U.S.
3. DELIVER FRESH DUG TREES WHICH ARE BALLED AND BURLAPPED, AND SHRUBS WHICH ARE BALLED AND BURLAPPED OR IN NURSERY CONTAINERS. ALL PLANTS ARE TO BE HEALTHY, VIGOROUS AND FREE OF INSECTS AND DISEASE.
4. PLANTS ARE TO BE INSTALLED AS SPECIFIED IN THE PLANTING DETAILS WITH ADEQUATE WATER PROVIDED DURING PLANTING TO ALLOW COMPACTION OF THE PLANTING SOIL TO PREVENT ANY AIR POCKETS OR SETTLEMENT AFTER PLANTING.
5. ALL PLANTING BEDS ARE TO BE COVERED WITH 2" SHREDDED BARK MULCH.
6. ALL DECIDUOUS AND EVERGREEN TREES OVER 5' TALL ARE TO BE STAKED AS SHOWN IN THE PLANTING DETAILS. TREES ARE TO REMAIN PLUMB AND SHALL BE ADJUSTED AS NEEDED. ALL STAKES AND ARBOR TIES ARE TO BE MAINTAINED AND REMOVED WHEN NO LONGER NEEDED.
7. RECOMMENDED PLANTING DATES ARE MARCH 15 TO JUNE 15 AND SEPTEMBER 15 TO NOVEMBER 15.
8. PLANT SUBSTITUTIONS SHALL BE ALLOWED BASED ON AVAILABILITY. SUBSTITUTIONS MAY BE MADE ONLY WITH DIRECT APPROVAL FROM THE LANDSCAPE ARCHITECT AND ADMINISTRATIVE OFFICER.

MAINTENANCE & WARRANTY:

1. THE CONTRACTOR SHALL WARRANT ALL PLANTS FOR A PERIOD OF TWO YEARS AFTER THE DATE OF SUBSTANTIAL COMPLETION AGAINST DEFECTS INCLUDING DEATH AND UNSATISFACTORY GROWTH.
2. AFTER PLANTING IS COMPLETED, THE OWNER SHALL BE RESPONSIBLE TO PROVIDE ADEQUATE WATER TO ENSURE HEALTHY AND VIGOROUS GROWTH.
3. ANY PLANT WHICH IS NOT HEALTHY AND GROWING VIGOROUSLY AFTER TWO YEARS SHALL BE REPLACED BY THE CONTRACTOR IN CONFORMANCE WITH THE PLANTING SPECIFICATIONS.
4. IF NECESSARY, THE CONTRACTOR SHALL OVERSEED OR SOD ANY AREAS WHICH ARE NOT SUBSTANTIALLY COVERED BY ADEQUATE GRASS GROWTH FOR ONE YEAR AFTER THE INITIAL SEED APPLICATION.

LOAMING & SEEDING/SODDING:

1. AREAS ON THE PLAN WHICH ARE LABELED AS "SOD" ARE TO HAVE SOD APPLIED. AREAS ON THE PLAN LABELED 'GRASS' SHALL BE SEEDDED.
2. AFTER ROUGH GRADING IS COMPLETED, ALL DISTURBED AREAS WHICH ARE LABELED AS "SOD" OR "GRASS" ARE TO BE BROUGHT TO AN ELEVATION OF 6" BELOW THE PROPOSED FINISHED GRADE. THE SUB-GRADE IS TO BE SCARIFIED TO A DEPTH OF 12" WITH THE TEETH OF A BACKHOE OR A POWER RAKE TO RESULT IN AN UNCOMPACTED SUBSOIL. 6" OF GOOD QUALITY TOPSOIL IS THEN TO BE APPLIED AND RAKED TO FINISHED GRADE.
3. THE TOPSOIL IS TO BE GOOD QUALITY LOAM, FERTILE AND FREE OF NEEDS, STICKS AND STONES OVER 3/4" IN SIZE AND OTHERWISE COMPLYING WITH SECTION M.18.01 OF THE RI DOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.
4. PRIOR TO SEEDING OR SODDING, FERTILIZE WITH 10-10-10 OR EQUIVALENT ANALYSIS. AT LEAST 40% OF THE FERTILIZER NITROGEN SHALL BE IN SLOW RELEASE FORM. INCORPORATE THE FERTILIZER INTO THE TOP 1-2" OF THE PLANTING SOIL. APPLY AT A RATE OF 8 LBS. PER 1000 SQUARE FEET.
5. LIME IS TO BE APPLIED AT A RATE OF ONE TON PER ACRE AND UNIFORMLY INCORPORATED INTO THE TOP 1-2" OF TOPSOIL.

SEEDING

AFTER THE SEED BED IS PREPARED, SEED IS TO BE BROADCAST EVENLY OVER THE SURFACE AND WORKED INTO THE TOP 1" OF SOIL. SEED SHALL BE ENDOPHYTE ENHANCED (AVAILABLE FROM ALLEN'S SEED STORE, SOUTH COUNTY TRAIL, EXETER, RI; PHONE: 800-527-3818 OR 401-244-2122) OR APPROVED EQUAL. APPLY AT A RATE OF 4-5 LBS. PER 1000 SQUARE FEET.

ENDOPHYTE ENHANCED:	% BY WEIGHT
CHEWING FESCUE	30%
IMPROVED PERENNIAL RYEGRASS	30%
TURF TYPE FALL FESCUE	30%
KENTUCKY BLUEGRASS	10%

RECOMMENDED SEEDING DATES ARE MARCH 15 TO JUNE 15 AND SEPTEMBER 15 TO NOVEMBER 15.

RATHER THAN SEEDING AS DESCRIBED ABOVE, THE CONTRACTOR MAY HYDROSEED USING AN APPROVED EQUIVALENT SEED MIX.

SEED MIXES

- PROVIDE QUALITY SEED DERIVED FROM THE VARIETY INDICATED UNDER 'SEEDING'.
- ALL SEED IS TO BE VIABLE, HEALTHY AND FREE OF INSECTS AND DISEASE.
- SEED IS TO BE INSTALLED AS SPECIFIED IN THE SEEDING NOTES WITH ADEQUATE WATER PROVIDED TO ESTABLISH A HEALTHY GRASS CATCH.
- RECOMMENDED SEEDING DATES ARE APRIL 15 TO JUNE 15 AND SEPTEMBER 15 TO NOVEMBER 15. LATE FALL AND WINTER DORMANT SEEDINGS REQUIRE AN INCREASE IN THE SEEDING RATE.
- SEED SUBSTITUTIONS SHALL BE ALLOWED BASED ON AVAILABILITY ONLY WITH DIRECT APPROVAL FROM THE LANDSCAPE ARCHITECT OR OWNER.

SODDING:

SOD SHALL BE LIVE, FRESH, AND OF SUITABLE CHARACTER FOR THE PURPOSE INTENDED AND FOR THE SOIL ON WHICH IT WILL BE PLACED. SODS SHALL BE AT LEAST 2-SQUARE FEET IN AREA AND SHALL BE THICK ENOUGH TO CONTAIN ALL NATURAL ROOTS WITHOUT MITIGATION. IN NO CASE WILL SODS BE PERMITTED TO BE UNDER 3/4" THICK OR OVER 1" THICK, UNLESS EXPRESS WRITTEN PERMISSION OF THE LANDSCAPE ARCHITECT IS PROCURED. SOD STORED LONGER THAN 96 HOURS WILL NOT BE ALLOWED UNDER ANY CIRCUMSTANCES.


RECOMMENDED SODDING DATES ARE APRIL 1 TO JUNE 30 AND AUGUST 15 TO NOVEMBER 15.

SOD INSTALLATION: THE SOD BED SHALL BE MOIST AND BE WATERED CONTINUOUSLY DURING THE SODDING OPERATION. SOD SHALL BE LAID IN THE LONGEST DIMENSION PARALLEL TO THE CONTOURS. THE FIRST ROW OF SOD SHALL BE LAID A STRAIGHT LINE WITH THE SUBSEQUENT ROWS PLACED PARALLEL TO AND TIGHTLY AGAINST EACH OTHER. LATERAL/VERTICAL JOINTS SHALL BE STAGGERED BY A MINIMUM OF 12" TO PROMOTE UNIFORM GROWTH AND STRENGTH. SOD SHALL NOT BE STRETCHED OR OVERLAPPED AND ALL JOINTS SHALL BE BUTTED TIGHT.

AFTER THE SOD IS PLACED, IT SHALL BE PRESSED FIRMLY INTO CONTACT WITH THE SOD BED BY TAMPING OR HAND ROLLING. THIS PROCEDURE SHALL NOT DEFORM THE SOD. THE CONTRACTOR SHALL CUT THE SOD TO LINE AS INDICATED ON THE PLAN OR AS DIRECTED BY THE LANDSCAPE ARCHITECT.

COPPER BEECH (2 TOTAL) TREE PROTECTION NOTES

1. AN ON SITE COORDINATION MEETING SHALL TAKE PLACE BEFORE ANY EXCAVATION OCCURS TO DISCUSS TREE PROTECTION. PRESENT AT THE MEETING SHALL BE THE LANDSCAPE ARCHITECT, GENERAL CONTRACTOR, EXCAVATING CONTRACTOR AND OWNER OR OWNER'S REPRESENTATIVE.
2. TREES ARE TO BE EVALUATED BY A LICENSED PRACTICING ARBORIST FOR STRUCTURAL INTEGRITY. ANY DEAD DISEASED OR BROKEN LIMBS ARE TO BE REMOVED USING ACCEPTED ARBORICULTURAL PRACTICES. HAZARDOUS TREES OR LIMBS ARE TO BE REMOVED.
3. BEFORE ANY EXCAVATION OR CONSTRUCTION COMMENCES, A WOODEN OR PLASTIC 'SNOW FENCING' OR A SIMILAR BARRIER SHALL BE INSTALLED AROUND THE PERIMETER AT DRIP LINE OF ALL TREES DESIGNATED TO REMAIN.
4. THERE SHALL BE NO EXCAVATION, TRENCHING, EQUIPMENT OR MATERIAL STORAGE, OR STOCKPILING OF SOIL UNDER THE DRIP LINE OF ANY TREE TO BE PRESERVED. NO EXISTING SOIL, STONE OR VEGETATION SHALL BE REMOVED AND NO VEHICLES OR EQUIPMENT ARE TO BE DRIVEN WITHIN THE DRIP LINE OF A TREE TO BE PRESERVED.



TREE PROTECTION DETAIL NOT TO SCALE

WOODEN OR PLASTIC 'SNOW' FENCE AT LEAST 9' IN HEIGHT IS TO BE INSTALLED AS CLOSE TO THE DRIPLINE OF THE TREE (EDGE OF CROWN SPREAD) AS IS PRACTICAL.

THERE SHALL BE NO DISTURBANCE WITHIN THE DRIP LINE OF TREES TO BE PRESERVED. THE EXISTING SOIL, VEGETATION, & STONES WITHIN THE TREE'S DRIP LINE IS TO REMAIN UNTOUCHED.

ALL FENCING IS TO BE REMOVED AFTER CONSTRUCTION IS COMPLETE.

TOWN OF SOUTH KINGSTOWN

CODE OF ORDINANCES
APPENDIX 'A' ZONING ORDINANCE
ARTICLE 6 OVERLAY ZONES, SPECIAL ZONES & SPECIAL MANAGEMENT DISTRICTS
SEC. 605. ROUTE 1 SPECIAL MANAGEMENT DISTRICT.

605.7. HIGHWAY ACCESS AND BUFFERING

THE AREA WITHIN THE REQUIRED 100-FOOT SETBACK SHALL BE DEVOTED TO A LANDSCAPED OR NATURAL BUFFER ZONE, THE PURPOSE OF WHICH IS TO PROVIDE AN AUDIO AND VISUAL SCREEN OF DEVELOPMENT WITHIN THE DISTRICT FROM US ROUTE 1.

A 100' WIDE VEGETATED BUFFER IS PROPOSED WHERE THE PROPERTY ADJUTS KELLEY WAY. THE EXISTING VEGETATION SHALL REMAIN AND WILL PROVIDE AN AUDIO AND VISUAL SCREEN OF THE DEVELOPMENT FROM US ROUTE 1.

605.14. PARKING STANDARDS.

B. LANDSCAPING, PARKING LOT LANDSCAPING FOR ALL USES WITHIN THE DISTRICT SHALL BE AS PROVIDED IN SUBDIVISION AND LAND DEVELOPMENT REGULATIONS.

SEE BELOW.

**TOWN OF SOUTH KINGSTOWN
SUBDIVISION & LAND DEVELOPMENT REGULATIONS**

ARTICLE IV. SPECIAL REQUIREMENTS
6. LANDSCAPING - GENERAL STANDARDS & SPECIFICATIONS

1. PLANT MATERIALS - STANDARDS

ALL PLANTS HAVE BEEN SELECTED FROM THE PUBLICATION ENTITLED 'SUSTAINABLE TREES AND SHRUBS FOR SOUTHERN NEW ENGLAND' WHEREVER SUCH LANDSCAPING OR BUFFERING IS REQUIRED BY THE ZONING ORDINANCE OR THESE REGULATIONS. ALSO, SEE PLANTING NOTES, DETAILS AND PLANT SCHEDULE.

2. STREET LANDSCAPING

SEE 605.7 ABOVE - ROUTE 1 SPECIAL MANAGEMENT DISTRICT - HIGHWAY ACCESS AND BUFFERING.

3. PERIMETER LANDSCAPING - PARKING LOTS AND LOADING FACILITIES

THE PERIMETER OF THE PARKING LOT AND LOADING FACILITY SHALL BE SURROUNDED BY A LANDSCAPED STRIP... NO LESS THAN TEN (10) FEET IN WIDTH WHERE THE PARKING AREA CONTAINS FIVE SPACES OR MORE OR WHICH EXCEEDS 2500 SQ. FT. OF PAVED AREA. NO LESS THAN FIVE FEET IN WIDTH WHERE THE PARKING AREA CONTAINS LESS THAN FIVE SPACES OR WHICH HAS LESS THAN 2,500 SQ. FT. OF PAVED PARKING.

THERE IS ONE PARKING AREA WHICH HAS SEVEN (7) SPACES. THE TOTAL PERIMETER OF THE PARKING LOT, INCLUDING THE ROADWAY USED FOR VEHICULAR ACCESS, CIRCULATION AND PARKING, IS 984 LINEAR FEET. THE WIDTH OF THE PERIMETER LANDSCAPING STRIP IS AT LEAST 10' WIDE FOR 420', 5' WIDE FOR 202', AND THE REMAINDER IS DRIVEWAY.

LANDSCAPING OF THE PERIMETER OF A PARKING LOT SHALL INCLUDE AT LEAST ONE TREE PLUS THREE LOW SHRUBS OR GROUND COVER PLANTS FOR EVERY THIRTY-FIVE LINEAR FEET OF PERIMETER.

THERE ARE 984 LINEAR FEET OF PARKING LOT PERIMETER. 28 TREES AND 84 SHRUBS OR GROUND COVER PLANTS ARE REQUIRED. TWO EXISTING TREES ARE TO REMAIN, 28 TREES AND 216 SHRUBS ARE PROPOSED.

TREES REQUIRED	TREES PROPOSED OR EXISTING
28	28
SHRUBS OR GROUND COVER PLANTS REQUIRED	SHRUBS OR GROUND COVER PLANTS PROPOSED
84	216

4. INTERIOR LANDSCAPING - THE INTERIOR AREAS OF PARKING LOTS (EXCLUSIVE OF LOADING AREAS) SHALL ALSO BE LANDSCAPED. THE MINIMUM AMOUNT OF INTERIOR PARKING LOT LANDSCAPING SHALL BE PROVIDED IN ACCORDANCE WITH THE FOLLOWING TABLE?

TOTAL AREA OF PARKING LOT	MINIMUM PERCENT OF THE TOTAL PARKING LOT AREA THAT MUST BE AN INTERIOR LANDSCAPING AREA
2,500 TO 20,000 SQ. FT.	5% REQUIRED

THE PROPOSED PARKING AREAS CONSISTS OF 15,120 SQ. FT. FIVE PERCENT INTERIOR LANDSCAPING AREA IS REQUIRED.

INTERIOR LANDSCAPING REQUIRED	INTERIOR LANDSCAPING PROVIDED
5% = 746 SQ. FT.	7,564 SQ. FT. = 47.5%


F. COMMON LANDSCAPED AREAS USED TO DIRECT VEHICULAR OR PEDESTRIAN TRAFFIC, TO DELINEATE PARKING OR TO PRESERVE EXISTING NATURAL FEATURES, AT LEAST 1 TREE PER 300 SQ. FT. AREA PLUS AT LEAST 6 LOW SHRUBS OR GROUND COVER PLANTS AND/OR TURF GRASS.

TREES REQUIRED	TREES PROVIDED
3	5
SHRUBS REQUIRED	SHRUBS PROVIDED
16	80


ARTICLE XIII DESIGN AND PUBLIC IMPROVEMENT STANDARDS
B. STREET DESIGN STANDARDS

13. STREET TREES


STREET TREES ARE PROPOSED TO BE LOCATED WITHIN 10 FEET OF THE STREET RIGHT-OF-WAY AND SHALL BE SPACED NO MORE THAN 50 TO 50 FEET ON CENTER. THE SPECIES SELECTED HAVE BEEN SELECTED FOR SUITABILITY FOR THE LOCATION AND FOR ZONE 6 HARDINESS. ALL STREET TREES HAVE BEEN SELECTED FROM THE PUBLICATION 'SUSTAINABLE TREES AND SHRUBS FOR SOUTHERN NEW ENGLAND' AND ARE PROPOSED AT 1-1/2" - 2" CALIPER AND 6 TO 8 FEET OF HEIGHT AT TIME OF PLANTING.




PERENNIAL PLANTING DETAIL NOT TO SCALE © 2016 JOHN C. CARTER & COMPANY, INC.




SHRUB PLANTING DETAIL NOT TO SCALE © 2016 JOHN C. CARTER & COMPANY, INC.



TREE PLANTING DETAIL NOT TO SCALE © 2016 JOHN C. CARTER & CO., INC.



EVERGREEN TREE PLANTING DETAIL NOT TO SCALE © 2016 JOHN C. CARTER & CO., INC.



JOHN C. CARTER & CO., INC.
960 BOSTON NECK RD NARRAGANSETT, RI
(401) 783-3500

LANDSCAPE ARCHITECTURE
DESIGN & BUILD

PLANTING NOTES & DETAILS

HILLSIDE COMMONS

LOCATED AT:

A.P. 57-2, LOT 59

SOUTH KINGSTOWN, RHODE ISLAND

REVISIONS

3-29-19 Notes reflect landscape changes per new layout.

SCALE: NTS
DATE: August 28, 2017

ISSUED FOR PERMITTING
NOT FOR CONSTRUCTION

SHEET NUMBER

3 OF 3